Subject Index to Volume 7

Active transport: *see* specific subject and site
Actomyosin ATPase: *see* Adenosine triphosphatase
Adenine nucleotides
  intestinal transport and, C177
Adenosine diphosphate
  respiratory control and active transport, midgut (hornworm), C10
Adenosine monophosphate
  respiratory control and active transport, midgut (hornworm), C10
Adenosine triphosphatase: *see also* Sodium-potassium-ATPase
  actomyosin, thyrotoxic soleus muscle, C15
  histochemical reaction, thyrotoxic soleus muscle, C15
Adenosine triphosphate
  depletion, sugar transport, intestinal cells, C73
  exogenous, regulation of sodium ion-dependent sugar transport, intestinal epithelial cells, C177
  respiratory control and active transport, midgut (hornworm), C10
Adrenergic agonists
  secretory response, dispersed submandibular cells, C90, C99
Agonists: *see* Adrenergic agonists; Cholinergic agonists
Alcohols
  permeability, erythrocytes, C107
Anoxia
  kinetics, midgut (hornworm), C10
Autografts
  contractile properties, skeletal muscle, C120
Autonomic innervation
  tracheal smooth muscle, C27
Axon
  membrane currents, protein cross-linking reagents, effects (squid), C127

Biochemistry: *see* specific subject and site
Bioenergetics: *see* specific subject and site

Calcium
  release, fast- and slow-twitch muscles, dantrolene effects, C56
  secretory response, dispersed submandibular cells, C90, C99
Capillarization
  stretch-induced growth, wing muscle (chicken), C62
Cardiac cells: *see* Muscle cells, heart
Cell volume
  membrane potential and membrane transport, interactions, C196
Cells: *see* specific type and site
Chloride
  analysis, myocardial, C169
  concentration, cellular, left ventricular, C169
  distribution, left ventricle, C169
  exchange, left ventricle, C169
Cholinergic agonists
  secretory response, dispersed submandibular cells, C90, C99
Contraction: *see* Muscle
Cornea
  electrophysiology, fluorescent cyanine dye studies (frog), C21
Coupling
  excitation-contraction, dantrolene effects, fast- and slow-twitch muscles, C56
  oxidative metabolism and active transport, midgut (hornworm), C1
Current sending
  cornea (frog), C21
Currents
  membrane, protein cross-linking agents and, axon (squid), C127
  potassium, axon (squid), C127
  sodium, axon (squid), C127
Cyanine dye
  fluorescent, corneal studies (frog), C21
Cytochromes
  midgut (hornworm), C10
Cytoplasm
  oocyte, potassium exchange (amphibian), C133

Dantrolene
  fast- and slow-twitch muscles, energetics, C56
Diffusion
  lipophilic molecules, erythrocytes, C107
Dyes: *see* specific dye

Electrolytes
  oocytes (amphibian), C113
  secretion, dissociated cells, salt gland (duck), C184
Electromyography
  stretch-induced growth, wing muscle (chicken), C62
Electrophysiology: *see* specific subject and site
Energetics: *see* specific subject and site
Enzymes: *see* Oxidative enzymes; Glycolytic enzymes; and the specific enzyme
Epithelial cells: *see also* specific site
  dog kidney (MDCK), ouabain binding, C43
Epithelial membranes
  ouabain binding in dog kidney epithelial (MDCK) cells, C43
Erythrocytes
  lipophilic molecules, series-parallel pathway, C107
  permeability to lipophilic molecules, solubility and volume effects, C107
Estrogen
  gap junction formation, myometrial, C81
  tissue impedance, myometrial, C34
Excitation-contraction coupling: *see* Coupling
Exocrine secretion
  dispersed submandibular cells, C90, C99
Extensor digitorum longus muscle
  transplanted, contractile properties, C120
  transplanted, fiber regeneration, C120

Fast-twitch muscles: *see* Muscle, skeletal
Fatigability
  transplanted extensor digitorum longus muscle, C120
Fibers
  muscle: *see* Muscle fibers
Fluorescence
  corneal (frog), C21
Force-frequency relations
  muscle: *see* Muscle
Force-velocity relations
  muscle: *see* Muscle
Freeze fracture
  pancreatic β-cell gap junctions, distribution, C114

Gap junctions: *see* Junctions
Glucose
  transport, microvillous membrane, placenta, C160
Glycerol
  release, lactate and palmitate effects, soleus muscle, C149
Glycogen
  accumulation, lactate and palmitate effects, soleus muscle, C149
Glycolysis
  lactate and palmitate effects, soleus muscle, C149
Glycolytic enzymes
  stretch-altered proportions, wing muscle (chicken), C62
Gradient-coupled transport
  sugar, intestinal cells, C73
Growth
  stretch-induced, wing muscle (chicken), C62

Heart cells: *see* Muscle cells, heart
Heart ventricle
  left, chloride distribution and exchange, C169
Heat
  activation, fast- and slow-twitch muscles, dantrolene effects, C56
  production, rectococcygeus muscle, C49
  recovery, smooth muscle, C49
Histochemistry
  thyrotoxic soleus muscle, C15
Histology
  smooth muscle, myometrium, C34
Hormones: *see also* specific hormone and site
  gap junction control, myometrial, C81
Hypertrophy
  stretch, new model, wing muscle (chicken), C62

Impedance
  tissue, estrogen- and progesterone-treated myometrium, C34

Innervation
  autonomic, tracheal smooth muscle, C27
Intestinal cells
  ATP-depleted, sugar transport, C73
  sugar transport, membrane potentials and, C73
  sugar transport, sodium ion-dependent, C73
Intestinal cells, epithelial
  sugar transport, regulation by exogenous ATP, C177
  sugar transport, sodium ion-dependent, C177
  transport, regulation, C177
Intestines
  adenosine triphosphate, respiratory control and active transport, midgut (hornworm), C10
  bioenergetics, midgut (hornworm), C1
  coupling, oxidative metabolism and active transport, midgut (hornworm), C1
Ionophore-induced potentials: *see* Potentials
Ions
  flux, interactions of cell volume, membrane potential, and membrane transport, C196
  pumps: *see* Pump
Islets of Langerhans: *see* Pancreatic cells
Isometric contraction: *see* Muscle
Isometric tetanus tension: *see* Muscle

Junctions, gap
  formation, myometrial, control by estrogens, progesterone, and prostaglandins, C81
  nonrandom distribution, pancreatic β-cells, C114
  tracheal smooth muscle, C27

Kidney cells
  epithelial (MDCK), ouabain binding during monolayer organization and cell cycle, C43
Kinetics: *see* specific subject and site

Lactate
  substrate utilization, soleus muscle, C149
Length-tension shift: *see* Muscle
Lipophilic molecules
  permeability, erythrocytes, C107

Magnesium
  secretory response, dispersed submandibular cells, C90, C99
MDCK cells
  ouabain binding during monolayer organization and cell cycle, C43
Membranes
  currents: *see* Currents
  microvillous, monosaccharide transport, placenta, C160
  permeability: *see* Permeability
  potentials: *see* Potentials
  transport, cell volume, and membrane potential, interactions, C196
Metabolism: *see* Oxidative metabolism; *see also* the specific subject and site
Methacholine chloride
  salt gland dissociation (duck), C184
3-*O*-Methylglucose
  transport, intestinal cells, C73
  transport, sodium ion-dependent, intestinal epithelial cells, C177
Microvillous membrane
  placenta, monosaccharide transport, C160
Midgut: *see* Intestines
Models
  cell volume, membrane potential, and membrane transport, interactions, C196
  stretch hypertrophy, wing muscle (chicken), C62
Monosaccharide
  transport, microvillous membrane, placenta, C160
Mucin
  secretion, dispersed submandibular cells, C99
Muscle
  glycogen accumulation, lactate and palmitate effects, soleus, C149
  growth, stretch-induced (chicken wing), C62
  hypertrophy: *see* Hypertrophy
  substrate utilization, lactate and palmitate effects, soleus, C149
Muscle cells, heart
  chloride concentration, ventricular, C169
  chloride exchange flux, ventricular, C169
Muscle fibers
  skeletal, regeneration, autografts, C120
  types (chicken wing), C62
Muscle, skeletal
  contractile, biochemical, and histochemical properties of thyrotoxic soleus muscle, C15
  contractile properties, transplanted extensor digitorum longus muscle, C120
  contraction time, autograft, C120
  fast- and slow-twitch, energetics, dantrolene effects, C56
  fatigability, autograft, C120
  force-frequency relationship, autograft, C120
  force-velocity relations, autograft, C120
  growth, cross-sectional, wing (chicken), C62
  growth, longitudinal, wing (chicken), C62
  isometric contraction, thyrotoxic soleus muscle, C15
  isometric tetanus tension, autograft, C120
  length-tension shift, fast- and slow-twitch muscles, dantrolene effects, C56
  relaxation time, autograft, C120
  relaxation time, thyrotoxic soleus muscle, C15
  shortening velocity, autograft, C120
  shortening velocity, thyrotoxic soleus muscle, C15
  tonic (chicken wing), C62
  twitch (chicken wing), C62
Muscle, smooth
  electrophysiology, myometrium, C34
  energetics, temperature effects, C49
  gap junction formation, myometrial, C81
  heat production, rectococcygeus muscle, C49
  histology, myometrium, C34
  isometric and isotonic contractions, temperature effects, rectococcygeus muscle, C49
  mechanical and myothermic properties, C49
  recovery heat, rectococcygeus muscle, C49
  structural and functional control, trachea, C27
  tissue impedance, myometrium, C34
Myocardial cells: *see* Muscle cells, heart
Myocardium
  chloride analysis, C169
Myocytes: *see* Muscle cells
Myometrium
  estrogen- and progesterone-treated, tissue impedances, C34
  gap junction formation, control by estrogens, progesterone, and prostaglandins, C81
Myothermic properties
  smooth muscle, C49

Nasal salt gland: *see* Salt gland
Nexus: *see* Junction, gap
Nucleus
  oocyte, potassium exchange (amphibian), C133

Oocytes
  potassium exchange, whole cell, cytoplasm, and nucleus (amphibian), C133
Ouabain
  ^{3}H-labeled, binding in dog kidney epithelial (MDCK) cells, C43
  salt gland dissociation (duck), C184
Oxidative enzymes
  stretch-altered proportions, wing muscle, (chicken), C62
Oxidative metabolism
  active transport and, coupling, midgut (hornworm), C1
Oxygen
  consumption, modulation, midgut (hornworm), C1

Palmitate
  substrate utilization, soleus muscle, C149
Pancreatic β-cells
  gap junctions, nonrandom distribution, C114
Permeability
  erythrocytes, to lipophilic molecules, solubility and volume effects, C107
Placenta
  monosaccharide transport, microvillous membrane, C160
Potassium: *see also* Sodium-potassium-ATPase
  currents, axon (squid), C127
  exchange, oocytes (amphibian), C133
  flux, kinetics, oocytes (amphibian), C113
Potassium ions
  gradients, imposed, intestinal cells, C73
Potential difference
  cornea (frog), C21
Potentials, membrane
  cell volume, and membrane transport, interactions, C196
  ionophore-induced, sugar transport and, intestinal cells, C73
  sodium ion-dependent sugar transport, by ATP-depleted intestinal cells, C73
Progesterone
  gap junction formation, myometrial, C81
  tissue impedance, myometrial, C34

Prostaglandins
gap junction formation, myometrial, C81
Protein
cross-linking reagents, membrane currents and, axon (squid), C127
Pump
ion, interactions of cell volume, membrane potential, and membrane transport, C196

Radionuclide studies: *see* specific subject and site
Rectococcygeus muscle
mechanical and myothermic properties, temperature effects, C49
Regeneration
skeletal muscle fiber, transplanted, C120
Relaxation, muscular: *see* Muscle
Respiratory regulation
active transport role, midgut (hornworm), C10
adenosine triphosphate and, midgut (hornworm), C10
coupling and, midgut (hornworm), C1

Salivary gland
secretory response, dispersed submandibular cells, C90, C99
Salt gland
dissociated cells, separation procedures and characterizations (duck), C184
tissue dissociation (duck), C184
Sarcoplasmic reticulum
energetics, dantrolene effects, C56
thyrotoxic soleus muscle, C15
Shortening velocity: *see* Muscle
Slow-twitch muscles: *see* Muscle
Skeletal muscle: *see* Muscle, skeletal
Smooth muscle: *see* Muscle, smooth
Sodium
currents, axon (squid), C127
Sodium ions
sugar transport, intestinal epithelial cells, C177
sugar transport, membrane potentials and, intestinal cells, C73
transport, transepithelial, dog kidney epithelial (MDCK) cells, C43
Sodium-potassium-ATPase
ouabain binding, MDCK cells, C43
salt gland dissociation (duck), C184
Soleus muscle
substrate utilization, lactate and palmitate effects, C149
thyrotoxicosis, C15
Spectrophotometry
intact tissue, midgut (hornworm), C1
midgut (hornworm), C10
Stretch hypertrophy: *see* Hypertrophy
Submandibular cells, dispersed
mucin secretion, C99
potassium release, C90
secretory response, C90, C99
Substrates
utilization, lactate and palmitate effects, soleus muscle, C149
Sugar transport
ATP-depleted intestinal cells, C73
gradient-coupled, intestinal cells, C73
intestinal epithelial cells, regulation by exogenous ATP, C177
membrane potentials and, intestinal cells, C73
sodium ion-dependent, intestinal epithelial cells, C177

Temperature
mechanical and myothermic properties of smooth muscle, C49
Tension, muscle: *see* Muscle
Thyrotoxicosis
contractile, biochemical and histochemical properties, soleus muscle, C15
Tissue
impedance: *see* Impedance
Tonic muscle: *see* Muscle, skeletal
Tracheal smooth muscle
autonomic innervation, C27
gap junctions, C27
multiunit behavior, C27
structure and function, control, C27
Transplantation
extensor digitorum longus muscle, contractile properties, C120
Twitch muscle: *see* Muscle, skeletal

Uterus
gap junction formation, myometrial, C81

Ventricles, heart: *see* Heart ventricles
Volume
cell, interactions with membrane potential and membrane transport, C196

Author Index to Volume 7

Ashmore, C. R., C62

Barclay, J. K., C56
Barnett, J. G., C62
Barzen, K. A., C99
Bortoff, A., C34
Brodwick, M. S., C127
Brooke, M. H., C15

Carter-Su, C., C73
Chinard, F. P., C107
Connett, R. J., C149

Daniel, E. E., C27, C81
Denef, J.-F., C114

Eaton, D. C., C127
Ernst, S. A., C184

Faulkner, J. A., C120
Feit, P. W., C139
Fitts, R. H., C15
Frank, M., C133

Garfield, R. E., C81
Garrick, R. A., C107
Gibbs, C. L., C49
Gilloteaux, J., C34
Grafton, M. M., C1
Graves, C. N., C21
Greengard, P., C139

Holloszy, J. O., C15
Holly, R. G., C62
Hootman, S. R., C184
Horn, R., C127
Horowitz, S. B., C133

Jakobsson, E., C196
Johnson, L. W., C160

Kaiser, K. K., C15
Kannan, M. S., C27, C81
Kimmich, G. A., C73, C177

Loiselle, D. S., C49

Mandel, L. J., C1, C10
Maxwell, L. C., C120
Meda, P., C114
Moffett, D. F., C1
Molé, P. A., C62

Niemeyer, J. H., C120
Orci, L., C114

Page, E., C169
Palfrey, H. C., C139
Patel, B. C., C107
Pearce, F. J., C149
Perrelet, A., C114
Polimeni, P. I., C169

Quissell, D. O., C90, C99

Rabito, C. A., C43
Randles, J., C177
Rehm, W. S., C21
Riddle, T. G., C1, C10

Sachs, G., C21
Smith, C. H., C160
Storey, J. M., C10

Taylor, R. G., C62
Tchao, R., C43

Wendt, I. R., C56
White, T. P., C120
Winder, W. W., C15

Subject Index to Volume 8

Acclimation: *see* Temperature, environmental
Acid phosphatase
  brown fat peroxisomal β-oxidation, C208
Action potentials: *see* Potentials
Adenosine monophosphate
  deamination, working skeletal muscle, C32
Adenosine monophosphate, cyclic
  gap junction, myometrium, C217
Adipose tissue
  brown: *see* Brown adipose tissue
Amino acid
  transport, cultured crypt cells, intestinal, C190
Anionic dye
  organic, sulfobromophthalein-glutathione uptake, hepatocytes, C118
Anions
  chloride transport, tracheal epithelium, C112

Barium
  action potentials, smooth muscle cells, stomach (toad), C162
Bi-ionic diffusion potential: *see* Potentials
Brown adipose tissue
  muscular dystrophy, C18
Brown fat
  cyanide-insensitive palmitoyl-CoA-dependent NAD^+ reduction, C208
  mitochondrial oxidative capacity, C208
  peroxisomal β-oxidation, cold adaptation, C208

Calcium
  action potentials: *see* Potentials
  binding, plasma membrane, myometrium, C66
  permeability, pancreatic β-cells, C124
  potassium conductance, smooth muscle cells, stomach (toad), C182
  spike, pancreatic β-cells, C124
  transport, plasma membrane, myometrium, C66
  uptake, cultured heart cells, embryo (chick), C197
  uptake, plasma membrane, myometrium, C66
Calcium ions
  activation, potassium ion conductance, smooth muscle cells, stomach (toad), C182
  cycling energetics, deuterium oxide effects, skeletal muscle (frog), C105
Cardiomyopathy
  brown adipose tissue, C18
Carotid body
  transduction mechanisms, C135
Cations
  selectivity, temperature effects, neuron membrane (snail), C47
Caveolae
  membrane, smooth muscle cell, stomach (toad), C175
Cells: *see* specific type and site
Cerebral artery
  electrical properties, C23
Chemoreceptors: *see* Receptors
Chloride
  absorption, intestinal (freshwater prawns), C1
  transport, anion selectivity, tracheal epithelium, C112
Cobalt
  pancreatic β-cells, C124
Cold
  acclimation, brown adipose tissue, cardiomyopathy, C18
  adaptation, brown fat peroxisomal β-oxidation, C208
Conductance
  potassium: *see* Potassium
Contraction: *see* Muscle
Creatine kinase
  muscle fibers, C58
Crypt cells
  cultured, intestinal, amino acid transport, C190
  cultured, intestinal, hexose transport, C190
Cytochrome *c* oxidase
  brown fat, cold adaptation, C208
Cytokinins
  plant, tight-junction permeability (*Necturus*), C75
Cytoplasmic regulation
  cytokinins, tight-junction permeability (*Necturus*), C75

Deoxyribonucleic Acid
  stretch-induced growth, wing muscles (chicken), C39
Deuterium oxide
  skeletal muscle contraction (frog), C105

Eccrine sweat glands: *see* Sweat glands
Electrical properties
  middle cerebral and mesenteric arteries, comparison, C23
Electrical spike activity
  cerebral and mesenteric arteries, comparison, C23
Electrochemical forces
  potassium ion secretion, eccrine sweat glands, paw, C90
Electrogenic pump: *see* Pump
Electrogenesis
  sialic acid, cultured heart cells, embryo (chick), C197
Electrophysiology: *see* specific subject and site
Energetics: *see* specific subject and site
Enzymes: *see also* specific enzymes
  levels, muscle fibers, C58
Epithelium: *see also* specific subject and site
  secretory, electrochemical driving forces, potassium ions, C90
Erythrocytes
  survival, urine osmolality, C27
Erythropoiesis
  urine osmolality, C27

Fatty acid
  oxidation, peroxisomal brown fat, cold adaptation, C208
Feeding
  nutrition (freshwater prawn), C11
Fluid
  secretory eccrine sweat gland, paw, C90
Force-length relations
  muscle: *see* Muscle
Fructose-bisphosphatase
  muscle fibers, C58

Gallbladder
  cytoplasmic regulation, tight-junction permeability (*Necturus*), C75
Gap junctions: *see* Junctions
Glycogenolysis
  enzymes, muscle fibers, C58
Growth
  stretch-induced, wing muscle, biochemical and morphological characterization (chicken), C39
Guanosine 5′-diphosphate
  brown adipose tissue, muscular dystrophy, C18

Hadacidin
  working skeletal muscle, C32
Halide
  selectivity, tracheal epithelium, C112
Heart cells: *see* Muscle cells, heart
Heat
  activation, deuterium oxide, skeletal muscle (frog), C105
  production, deuterium oxide, skeletal muscle contraction (frog), C105
Heavy water: *see* Water
Hemolysis
  urine osmolality and, C27
Hepatocytes
  sulfobromophthalein-glutathione conjugate, uptake, C118
Hexose
  transport, cultured crypt cells, intestinal, C190
Hyperpolarization
  penetration-induced, smooth muscle cells, stomach (toad), C182

Inosine monophosphate
  reamination, working skeletal muscle, C32
Intestine, small
  amino acid and hexose transport, crypt cells, C190
Intestines
  cotransport (freshwater prawn), C1, C11
  diffusion potentials (freshwater prawn), C1
  electrogenic transport (freshwater prawn), C11

Intestines (*continued*)
electrophysiology (freshwater prawn), C1, C11
ion transport, transmural (freshwater prawn), C1, C11
potential difference, organic solutes (freshwater prawn), C11
sodium transport, organic solutes (freshwater prawn), C11
Ions
regulation, intestinal (freshwater prawn) C1, C11
transport, intestine (freshwater prawn), C1, C11

Junction
gap, myometrium, C217
tight, permeability, cytoplasmic regulation, plant cytokinins (*Necturus*), C75

Kidney
red blood cell survival, urine osmolality, C27

Liver
sulfobromophthalein-glutathione conjugate, transport, C118
Liver cells: *see* Hepatocytes
Lysosomes
brown fat peroxisomal β-oxidation, C208

Magnesium
pancreatic β-cells, C124
Manganese
pancreatic β-cells, C124
Membrane
activity, neuron (snail), C47
capacitance, smooth muscle cells, stomach (toad), C153
permeability: *see* Permeability
physiology, temperature effects, neuron (snail), C47
plasma, binding, myometrium, calcium transport and, C66
potential fluctuations, smooth muscle cells, stomach (toad), C175
properties, smooth muscle cells, stomach (toad), C153
rectifying properties, smooth muscle cells, stomach (toad), C175
smooth muscle, calcium transport and binding, myometrium, C66
Mesenteric artery
electrical properties, C23
Microelectrodes
penetration, hyperpolarization, smooth muscle cells, stomach (toad), C182
Microfilaments
cytoplasmic, tight-junction permeability (*Necturus*), C75
Mitochondria
brown adipose tissue in muscular dystrophy, C18
peroxisomal β-oxidation, cold adaptation, C208
Mitochondrial enzymes
muscle fibers, C58
Morphology
wing muscle (chicken), C39
Mucosa: *see* specific subject and site
Muscle cells, heart
electrogenesis, regulation, embryo (chick), C197
surface, sialic acid, embryo (chick), C197
Muscle cells, smooth muscle
calcium action potential, stomach (toad), C162
dissociated, stomach (toad), C153, C162, C175, C182
hyperpolarization, stomach (toad), C182
membrane rectifying properties, stomach (toad), C175
passive membrane properties, stomach (toad), C153
Muscle fibers
enzyme levels, C58
types, AMP and IMP activity, C32
Muscle, skeletal
contraction, deuterium oxide (frog), C105
contraction, isometric, deuterium oxide effects (frog), C105
contraction, isometric, fast and slow, C98
contraction, twitch pattern, fast and slow, C98
double pulse responses, C98
fast, force development, C98
lengths, force development, fast and slow, C98
posttetanic twitch potentiation, deuterium oxide effects (frog), C105
slow, force development, C98
stimulation, in situ, AMP and IMP activity, C32
twitch, stretch-induced growth (chicken wing), C39
working, AMP deamination and IMP reamination, C32
working, purine nucleotide cycle, C32
Muscle, smooth
gap junction, myometrium, C217
membranes, calcium transport and binding, myometrium, C66
Muscle, smooth, vascular
electrical activity, cerebral, C23
Muscular dystrophy
brown adipose tissue, C18
Myometrium
calcium binding, plasma membrane, C66
calcium transport, plasma membrane, C66
gap junction formation and regulation, C217

Nerve endings
transduction mechanisms, carotid body, C135
Neuraminidase
electrogenesis, cultured heart cells, embryo (chick), C197
Neuron membrane
spontaneous activity (snail), C47
temperature (snail), C47
Neurotransmitters
putative, transduction mechanisms, carotid body, C135
Nexus: *see* Junction
Nuclear density
wing muscles (chicken), C39
Nuclear distribution
wing muscles (chicken), C39
Nutrition: *see* Feeding

Organic solutes
intestinal transport (freshwater prawn), C11
Osmolality
urine, red blood cell survival, C27
Ouabain
inhibition, intestinal transport (freshwater prawn), C1
β-Oxidation
peroxisomal brown fat, cold adaptation, C208
Oxidative capacity
mitochondrial, brown fat, cold adaptation, C208

Pacemaker
activity, cultured heart cells, embryo (chick), C197
Pancreatic β-cells
calcium action potentials, C124
potassium permeability activation, C124
Paracellular pathway
cytoplasmic regulation, tight-junction permeability (*Necturus*), C75
Paw
potassium ion secretion, eccrine sweat gland, C90
Permeability
calcium, smooth muscle cells, stomach (toad), C162
membrane, temperature effects, neuron (snail), C47
potassium, calcium-sensitive, pancreatic β-cells, C124
tight-junction, cytoplasmic regulation, plant cytokinins (*Necturus*), C75
Peroxisomal activity
brown fat, C208
Plasma membrane: *see* Membranes
Potassium
conductance, smooth muscle cells, stomach (toad), C175, C182
external, cerebral and mesenteric arteries, C23
permeability, pancreatic β-cells, C124
secretion, intestinal (freshwater prawn), C1
Potassium ions
conductance, calcium ion activation, smooth muscle cells, stomach (toad), C175, C182
secretion, electrochemical forces, eccrine sweat gland, paw, C90
Potential difference
intestinal, transmural, organic solutes and (freshwater prawn), C11
transepithelial, potassium ion secretion, eccrine sweat gland, paw, C90
Potentials
bi-ionic diffusion, potassium ion secretion, eccrine sweat gland, paw, C90
diffusion, intestinal (freshwater prawn), C1
membrane fluctuation, smooth muscle cells, stomach (toad), C175
Potentials, action
barium, smooth muscle cells, stomach (toad), C162
calcium, pancreatic β-cells, C124
calcium, smooth muscle cells, stomach (toad), C162
high potassium, smooth muscle cells, stomach (toad), C162
sialic acid, cultured heart cells, embryo (chick), C197

strontium, smooth muscle cells, stomach (toad), C162
Prostaglandins
gap junction, myometrium, C217
Pump
electrogenic, temperature effects, neuron membrane (snail), C47
sodium, intestinal (freshwater prawn), C1, C11
Purine nucleotide cycle
working skeletal muscle, C32

Receptors
chemoreceptors, transduction mechanisms, carotid body, C135
Red blood cells: *see* Erythrocytes
Ribonucleic acid
stretch-induced growth, wing muscles (chicken), C39

Sarcomere
length, wing muscles (chicken), C39
Sensory synapses
transduction mechanisms, carotid body, C135
Sialic acid
electrogenesis, cultured heart cells, embryo (chick), C197
Skeletal muscle: *see* Muscle, skeletal
Smooth muscle: *see* Muscle, smooth
Sodium
absorption, intestinal (freshwater prawn), C1
pump: *see* Pump
transport, intestinal, organic solutes and (freshwater prawn), C11
Steroid hormones
gap junction, myometrium, C217
Stomach
calcium action potential, smooth muscle cells (toad), C162
smooth muscle cells, hyperpolarization (toad), C182
smooth muscle cells, membrane properties (toad), C153
smooth muscle cells, membrane rectifying properties (toad), C175
Strontium
action potentials, smooth muscle cells, stomach (toad), C162
Sugar
transport, crypt cells, intestinal, C190
Sulfobromophthalein-glutathione conjugate
uptake, hepatocytes, C118
Sweat glands
eccrine, electrochemical driving forces, C90
eccrine, potassium ion secretion, paw, C90
Synapses
sensory, transduction mechanisms, carotid body, C135

Temperature, environmental: *see also* Cold; Heat
acclimation, membrane, neuron (snail), C47
Tetanus amplitude
skeletal muscle, fast and slow, C98
Tetraethylammonium chloride
smooth muscle cells, stomach (toad), C162
Tetrodotoxin
smooth muscle cells, stomach (toad), C162
Thermogenesis
nonshivering, brown fat peroxisomal β-oxidation, C208
Thiocyanate
chloride transport, tracheal epithelium, C112
Tight junction: *see* Junction
Tracheal epithelium
chloride transport, anion selectivity, C112
Tracheal mucosa
halide selectivity, C112
Transepithelial potential difference: *see* Potential difference
Transduction mechanisms
carotid body, C135
Transport: *see* specific subject and site
Twitch
muscular: *see* Muscle

Urine
osmolality, red blood cell survival, C27

Water
heavy, skeletal muscle contraction (frog), C105
restriction, red blood cell survival, C27
Wing muscles
stretch-induced growth (chicken), C39

Author Index to Volume 8

Ahearn, G. A., C1, C11
Alexson, S., C208
Anagnostopoulos, T., C75
Ashmore, C. R., C39

Barnett, J. G., C39
Barron, E. A., C197
Beigelman, P. M., C124
Benedetti, E. L., C75
Bentzel, C. J., C75
Boom, H. B. K., C98
Boon, K. L., C98

Cannon, B., C208
Crankshaw, D. J., C66
Crankshaw, J., C66

Daniel, E. E., C66

Edelman, A., C75
Eyzaguirre, C., C135

Fidone, S. J., C135
Fleming, J. E., C27
Fung, S. J., C197

Garfield, R. E., C66, C217
Gotz, R., C118
Griep, P. A. M., C98
Grover, A. K., C66, C217
Gwilliam, C., C18

Hainau, B., C75
Harder, D. R., C23
Himms-Hagen, J., C18
Hintz, C. S., C58
Ho, S., C75
Holly, R. G., C39
Hui, S. W., C75

Inui, K.-I., C190
Isselbacher, K. J., C190

Kaiser, K. K., C58
Klaassen, C. D., C118
Kwan, C. Y., C66

Lammeree, G. C., C98
Leon, H. A., C27
Levitan, H., C47
Lowry, C. V., C58
Lowry, O. H., C58

Maginniss, L. A., C11
Markwald, R. R., C197
McKee, D., C58
Merrett, D., C217
Meyer, R. A., C32

Nathan, R. D., C197
Nedergaard, J., C208

Quaroni, A., C190

Rall, J. A., C105
Ribalet, B., C124

Sato, K., C90
Schwarz, L. R., C118
Singer, J. J., C153, C162, C175, C182
Stocco, D. M., C197

Terjung, R. L., C32
Tillotson, L. G., C190

Wallinga-de-Jonge, W., C98
Walsh, J. V., Jr., C153, C162, C175, C182
Welsh, M. J., C112
Widdicombe, J. H., C112
Wyban, J. A., C11

Zecevic, D., C47